

## Sintaxis

Niño: >

```
nav>ul>li
```

```
<nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Agrupación: ()

```
div>(header>ul>li*2>a)+footer>p
```

```
<div>
  <header>
    <ul>
      <li><a href=""></a></li>
      <li><a href=""></a></li>
    </ul>
  </header>
  <footer>
    <p></p>
  </footer>
</div>
```

```
(div>dl>(dt+dd)*3)+footer>p
```

```
<div>
  <dl>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
  </dl>
</div>
```

```
<footer>
  <p></p>
</footer>
```

Nombres de etiqueta implícitos

.class

```
<div class="class"></div>
```

em>.class

```
<em><span class="class"></span></em>
```

ul>.class

```
<ul>
  <li class="class"></li>
</ul>
```

table>.row>.col

```
<table>
  <tr class="row">
    <td class="col"></td>
  </tr>
</table>
```

Texto: {}

a{Click me}

```
<a href="">Click me</a>
```

p>{Click }+a{here}+{ to continue}

```
<p>Click <a href="">here</a> to continue</p>
```

Hermano: +

```
div+p+bq
```

```
<div></div>
```

```
<p></p>
```

```
<blockquote></blockquote>
```

Multiplicación: \*

```
ul>li*5
```

```
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Atributos ID y CLASS

#header

```
<div id="header"></div>
```

.title

```
<div class="title"></div>
```

form#search.wide

```
<form id="search" class="wide">
```

```
</form>
```

p.class1.class2.class3

```
<p class="class1 class2 class3"></p>
```

Atributos personalizados

p[title="Hello world"]

```
<p title="Hello world"></p>
```

td[rowspan=2 colspan=3 title]

```
<td rowspan="2" colspan="3" title="">
```

```
</td>
```

[a='value1' b='value2']

```
<div a="value1" b="value2"></div>
```

Cruzar: ^

```
div+div>p>span+em^bq
```

```
<div></div>
```

```
<div>
```

```
  <p><span></span><em></em></p>
```

```
  <blockquote></blockquote>
```

```
</div>
```

```
div+div>p>span+em^^bq
```

```
<div></div>
```

```
<div>
```

```
  <p><span></span><em></em></p>
```

```
</div>
```

```
<blockquote></blockquote>
```

Numeración de los artículos: \$

```
ul>li.item$*5
```

```
<ul>
  <li class="item1"></li>
  <li class="item2"></li>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
</ul>
```

h\${title=item\${Header \$}}\*3

```
<h1 title="item1">Header 1</h1>
```

```
<h2 title="item2">Header 2</h2>
```

```
<h3 title="item3">Header 3</h3>
```

```
ul>li.item$$$*5
```

```
<ul>
  <li class="item001"></li>
  <li class="item002"></li>
  <li class="item003"></li>
  <li class="item004"></li>
  <li class="item005"></li>
</ul>
```

```
</ul>
```

```
ul>li.item$@-*5
```

```
<ul>
  <li class="item5"></li>
  <li class="item4"></li>
  <li class="item3"></li>
  <li class="item2"></li>
  <li class="item1"></li>
</ul>
```

```
</ul>
```

```
ul>li.item$@3*5
```

```
<ul>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
  <li class="item6"></li>
  <li class="item7"></li>
</ul>
```

```
</ul>
```

## HTML

Todas las abreviaturas desconocidas se transformarán en etiqueta, por ejemplo, foo → <foo></foo>.

!: Alias de html:5

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>

</body>
</html>
```

link

```
<link rel="stylesheet"
      href="" />
```

link:css

```
<link rel="stylesheet"
      href="style.css" />
```

link:print

```
<link rel="stylesheet"
      href="print.css"
      media="print" />
```

link:favicon

```
<link rel="shortcut icon"
      type="image/x-icon"
      href="favicon.ico" />
```

link:touch

```
<link rel="apple-touch-icon"
      href="favicon.png" />
```

link:rss

```
<link rel="alternate"
      type="application/rss+xml"
      title="RSS"
      href="rss.xml" />
```

link:atom

```
<link rel="alternate"
      type="application/atom+xml"
      title="Atom"
      href="atom.xml" />
```

link:import, link:im

```
<link rel="import"
      href="component.html" />
```

a

```
<a href=""></a>
```

a:link

```
<a href="http://"></a>
```

a:mail

```
<a href="mailto:"></a>
```

abbr

```
<abbr title=""></abbr>
```

acronym, acr

```
<acronym title=""></acronym>
```

base

```
<base href="" />
```

basefont

```
<basefont />
```

br

```
<br />
frame
<frame />
```

hr

```
<hr />
```

bdo

```
<bdo dir=""></bdo>
```

bdo:r

```
<bdo dir="rtl"></bdo>
```

bdo:l

```
<bdo dir="ltr"></bdo>
```

col

```
<col />
```

meta

```
<meta />
```

meta:utf

```
<meta http-equiv="Content-Type"
      content="text/html;
      charset=UTF-8" />
```

meta:win

```
<meta http-equiv="Content-Type"
      content="text/html;
      charset=windows-1251" />
```

meta:vp

```
<meta name="viewport"
      content="width=device-width,
      user-scalable=no,
      initial-scale=1.0,
      maximum-scale=1.0,
      minimum-scale=1.0" />
```

meta:compat

```
<meta http-equiv="X-UA-Compatible"
      content="IE=7" />
```

style

```
<style></style>
```

script

```
<script></script>
```

script:src

```
<script src=""></script>
```

img

```
<img src="" alt="" />
```

img:srcset, img:s

```
<img srcset="" src="" alt="" />
```

img:sizes, img:z

```
<img sizes="" srcset="" src="" alt="" />
```

picture

```
<picture></picture>
```

source, src

```
<source />
```

source:src, src:sc

```
<source src="" type="" />
```

source:srcset, src:s

```
<source srcset="" />
```

source:media, src:m

```
<source media="(min-width: )"
      srcset="" />
```

source:type, src:t

```
<source srcset="" type="image/" />
```

source:sizes, src:z

```
<source sizes="" srcset="" />
```

source:media:type, src:mt

```
<source media="(min-width: )"
      srcset="" type="image/" />
```

source:media:sizes, src:mz

```
<source media="(min-width: )"
      sizes="" srcset="" />
```

source:sizes:type, src:zt

```
<source sizes="" srcset=""
      type="image/" />
```

iframe

```
<iframe src="" frameborder="0">
</iframe>
```

embed

```
<embed src="" type="" />
```

object

```
<object data="" type=""></object>
```

param

```
<param name="" value="" />
```

map

```
<map name=""></map>
```

area

```
<area shape="" coords=""
      href="" alt="" />
```

area:d

```
<area shape="default" href="" alt="" />
```

area:c

```
<area shape="circle" coords=""
      href="" alt="" />
```

area:r

```
<area shape="rect" coords=""
      href="" alt="" />
```

area:p

```
<area shape="poly" coords=""
      href="" alt="" />
```

form

```
<form action=""></form>
```

form:get

```
<form action="" method="get"></form>
```

form:post

```
<form action="" method="post"></form>
```

label

```
<label for=""></label>
```

MÁS



## HTML

<b>input</b> <input type="text" />	<b>input:range</b> Alias de inp[type=range] <input type="range" name="" id="" />
<b>inp</b> <input type="text" name="" id="" />	<b>input:file, input:f</b> Alias de inp[type=file] <input type="file" name="" id="" />
<b>input:hidden, input:h</b> Alias de input[type=hidden name] <input type="hidden" name="" />	<b>input:submit, input:s</b> <input type="submit" value="" />
<b>input:text, input:t</b> Alias de inp <input type="text" name="" id="" />	<b>input:image, input:i</b> <input type="image" src="" alt="" />
<b>input:search</b> Alias de inp[type=search] <input type="search" name="" id="" />	<b>input:button, input:b</b> <input type="button" value="" />
<b>input:email</b> Alias de inp[type=email] <input type="email" name="" id="" />	<b>isindex</b> <isindex />
<b>input:url</b> Alias de inp[type=url] <input type="url" name="" id="" />	<b>input:reset</b> Alias de input:button[type=reset] <input type="reset" value="" />
<b>input:password, input:p</b> Alias de inp[type=password] <input type="password" name="" id="" />	<b>select</b> <select name="" id=""></select>
<b>input:datetime</b> Alias de inp[type=datetime] <input type="datetime" name="" id="" />	<b>select:disabled, select:d</b> Alias de select[disabled.] <select name="" id="" disabled="disabled"></select>
<b>input:date</b> Alias de inp[type=date] <input type="date" name="" id="" />	<b>option, opt</b> <option value=""></option>
<b>input:datetime-local</b> Alias de inp[type=datetime-local] <input type="datetime-local" name="" id="" />	<b>textarea</b> <textarea name="" id="" cols="30" rows="10"></textarea>
<b>input:month</b> Alias de inp[type=month] <input type="month" name="" id="" />	<b>marquee</b> <marquee behavior="" direction=""></marquee>
<b>input:week</b> Alias de inp[type=week] <input type="week" name="" id="" />	<b>menu:context, menu:c</b> Alias de menu[type=context]> <menu type="context"></menu>
<b>input:time</b> Alias de inp[type=time] <input type="time" name="" id="" />	<b>menu:toolbar, menu:t</b> Alias de menu[type=toolbar]> <menu type="toolbar"></menu>
<b>input:tel</b> Alias de inp[type=tel] <input type="tel" name="" id="" />	<b>video</b> <video src=""></video>
<b>input:number</b> Alias de inp[type=number] <input type="number" name="" id="" />	<b>audio</b> <audio src=""></audio>
<b>input:color</b> Alias de inp[type=color] <input type="color" name="" id="" />	<b>html:xml</b> <html xmlns="http://www.w3.org/1999/xhtml"></html>
<b>input:checkbox, input:c</b> Alias de inp[type=checkbox] <input type="checkbox" name="" id="" />	<b>keygen</b> <keygen />
<b>input:radio, input:r</b> Alias de inp[type=radio] <input type="radio" name="" id="" />	<b>command</b> <command />
	<b>button:submit, button:s, btn:s</b> Alias de button[type=submit] <button type="submit"></button>
	<b>button:reset, button:r, btn:r</b> Alias de button[type=reset] <button type="reset"></button>
	<b>button:disabled, button:d, btn:d</b> Alias de button[disabled.] <button disabled="disabled"></button>
	<b>fieldset:disabled, fieldset:d, fset:d, fst:d</b> Alias d fieldset[disabled.] <fieldset disabled="disabled"></fieldset>

MÁS  
↓

## HTML

**bq**  
 Alias de blockquote  
`<blockquote></blockquote>`  
**fig**  
 Alias de figure  
`<figure></figure>`  
**figc**  
 Alias de figcaption  
`<figcaption></figcaption>`  
**pic**  
 Alias de picture  
`<picture></picture>`  
**ifr**  
 Alias de iframe  
`<iframe src="" frameborder="0"></iframe>`  
**emb**  
 Alias de embed  
`<embed src="" type="" />`  
**obj**  
 Alias de object  
`<object data="" type=""></object>`  
**cap**  
 Alias de caption  
`<caption></caption>`  
**colg**  
 Alias de colgroup  
`<colgroup></colgroup>`  
**fst, fset**  
 Alias de fieldset  
`<fieldset></fieldset>`  
**btn**  
 Alias de button  
`<button></button>`  
**optg**  
 Alias de optgroup  
`<optgroup></optgroup>`  
**tarea**  
 Alias de textarea  
`<textarea name="" id="" cols="30" rows="10"></textarea>`  
**leg**  
 Alias de legend  
`<legend></legend>`  
**sect**  
 Alias de section  
`<section></section>`  
**art**  
 Alias de article  
`<article></article>`  
**hdr**  
 Alias de header  
`<header></header>`  
**fr**  
 Alias de footer  
`<footer></footer>`

**adr**  
 Alias de address  
`<address></address>`  
**dlg**  
 Alias de dialog  
`<dialog></dialog>`  
**str**  
 Alias de strong  
`<strong></strong>`  
**prog**  
 Alias de progress  
`<progress></progress>`  
**mn**  
 Alias de main  
`<main></main>`  
**tem**  
 Alias de template  
`<template></template>`  
**datag**  
 Alias de datagrid  
`<datagrid></datagrid>`  
**datal**  
 Alias de datalist  
`<datalist></datalist>`  
**kg**  
 Alias de keygen  
`<keygen />`  
**out**  
 Alias de output  
`<output></output>`  
**det**  
 Alias de details  
`<details></details>`  
**cmd**  
 Alias de command  
`<command />`  
**select+**  
 Alias de select>option  
`<select name="" id="">  
   <option value=""></option>  
</select>`  
**optgroup+, optg+**  
 Alias de optgroup>option  
`<optgroup>  
   <option value=""></option>  
</optgroup>`  
**pic+**  
 Alias de  
 picture>source:srcset+img  
`<picture>  
   <source srcset="" />  
   <img src="" alt="" />  
</picture>`

**ri:dpr, ri:d**  
 Alias de img:s  
`<img srcset="" src="" alt="" />`  
**ri:viewport, ri:v**  
 Alias de img:z  
`<img sizes="" srcset="" src="" alt="" />`  
**ri:art, ri:a**  
 Alias de pic>src:m+img  
`<picture>  
   <source media="(min-width: )" srcset="" />  
   <img src="" alt="" />  
</picture>`  
**ri:type, ri:t**  
 Alias de pic>src:t+img  
`<picture>  
   <source srcset="" type="image/" />  
   <img src="" alt="" />  
</picture>`  
**ol+**  
 Alias de ol>li  
`<ol>  
   <li></li>  
</ol>`  
**ul+**  
 Alias de ul>li  
`<ul>  
   <li></li>  
</ul>`  
**dl+**  
 Alias de dl>dt+dd  
`<dl>  
   <dt></dt>  
   <dd></dd>  
</dl>`  
**map+**  
 Alias de map>area  
`<map name="">  
   <area shape="" coords="" href="" alt="" />  
</map>`  
**table+**  
 Alias de table>tr>td  
`<table>  
   <tr>  
     <td></td>  
 </tr>  
</table>`  
**colgroup+, colg+**  
 Alias de colgroup>col  
`<colgroup>  
   <col />  
</colgroup>`  
**tr+**  
 Alias of tr>td  
`<tr>  
   <td></td>  
</tr>`

MÁS  
↓

## HTML

**doc**Alias de `html` > (head > meta[charset=\${charset}]+title{{1:Document}})+body

```
<html>
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
```

&lt;/body&gt;

&lt;/html&gt;

**doc4**Alias de `html` > (head > meta[http-equiv="Content-Type" content="text/html; charset=\${charset}"]+title{{1:Document}})+body

```
<html>
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
```

&lt;/body&gt;

&lt;/html&gt;

**!!!**

&lt;!DOCTYPE html&gt;

**!!!4t**

&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd"&gt;

**!!!4s**

&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd"&gt;

**!!!xt**

&lt;!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"&gt;

**!!!xs**

&lt;!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd"&gt;

**!!!xss**

&lt;!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd"&gt;

MÁS



## HTML

**html:4t****Alias de !!!4t+doc4[lang=\${lang}]**

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
```

&lt;/body&gt;

&lt;/html&gt;

**html:4s****Alias de !!!4s+doc4[lang=\${lang}]**

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>

</body>
</html>
```

**html:xt****Alias of !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml xml:lang=\${lang}]**

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
```

&lt;/body&gt;

&lt;/html&gt;

**html:xxs****Alias de !!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml xml:lang=\${lang}]**

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
  "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
```

&lt;/body&gt;

&lt;/html&gt;

**html:5****Alias de !!!+doc[lang=\${lang}]**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
```

&lt;/body&gt;

&lt;/html&gt;



## CSS

El módulo CSS utiliza la búsqueda difusa para encontrar abreviaturas desconocidas

Por ejemplo `ov:h == ov-h == ovh == oh`.

Si no se encontró la abreviatura, se transforma en nombre de propiedad: `foo-bar → foo-bar: |`;

Puede anteponer un guión a las abreviaturas para obtener propiedades prefijadas por el proveedor: `-foo`

## Formato visual.

<b>pos</b>	<code>position:relative;</code>	<b>v</b>	<code>visibility:hidden;</code>	<b>bgi</b>	<code>background-image:url();</code>
<b>pos:s</b>	<code>position:static;</code>	<b>v:v</b>	<code>visibility:visible;</code>	<b>bgr:n</b>	<code>background-repeat:no-repeat;</code>
<b>pos:a</b>	<code>position:absolute;</code>	<b>v:h</b>	<code>visibility:hidden;</code>	<b>bgr:x</b>	<code>background-repeat:repeat-x;</code>
<b>pos:r</b>	<code>position:relative;</code>	<b>v:c</b>	<code>visibility:collapse;</code>	<b>bgr:y</b>	<code>background-repeat:repeat-y;</code>
<b>pos:f</b>	<code>position:fixed;</code>	<b>ov</b>	<code>overflow:hidden;</code>	<b>bgr:sp</b>	<code>background-repeat:space;</code>
<b>t</b>	<code>top;;</code>	<b>ov:v</b>	<code>overflow:visible;</code>	<b>bgr:rd</b>	<code>background-repeat:round;</code>
<b>t:a</b>	<code>top:auto;</code>	<b>ov:h</b>	<code>overflow:hidden;</code>	<b>bga</b>	<code>background-attachment;;</code>
<b>r</b>	<code>right;;</code>	<b>ov:s</b>	<code>overflow:scroll;</code>	<b>bga:f</b>	<code>background-attachment:fixed;</code>
<b>r:a</b>	<code>right:auto;</code>	<b>ov:a</b>	<code>overflow:auto;</code>	<b>bga:s</b>	<code>background-attachment:scroll;</code>
<b>b</b>	<code>bottom;;</code>	<b>ovx</b>	<code>overflow-x:hidden;</code>	<b>bgp</b>	<code>background-position:0 0;</code>
<b>b:a</b>	<code>bottom:auto;</code>	<b>ovx:v</b>	<code>overflow-x:visible;</code>	<b>bgpx</b>	<code>background-position-x;;</code>
<b>l</b>	<code>left;;</code>	<b>ovx:h</b>	<code>overflow-x:hidden;</code>	<b>bgpy</b>	<code>background-position-y;;</code>
<b>l:a</b>	<code>left:auto;</code>	<b>ovx:s</b>	<code>overflow-x:scroll;</code>	<b>bgbk</b>	<code>background-break;;</code>
<b>z</b>	<code>z-index;;</code>	<b>ovx:a</b>	<code>overflow-x:auto;</code>	<b>bgbk:bb</b>	<code>background-break:bounding-box;</code>
<b>z:a</b>	<code>z-index:auto;</code>	<b>ovy</b>	<code>overflow-y:hidden;</code>	<b>bgbk:eb</b>	<code>background-break:each-box;</code>
<b>fl</b>	<code>float:left;</code>	<b>ovy:v</b>	<code>overflow-y:visible;</code>	<b>bgbk:c</b>	<code>background-break:continuous;</code>
<b>fl:n</b>	<code>float:none;</code>	<b>ovy:h</b>	<code>overflow-y:hidden;</code>	<b>bgcp</b>	<code>background-clip:padding-box;</code>
<b>fl:l</b>	<code>float:left;</code>	<b>ovy:s</b>	<code>overflow-y:scroll;</code>	<b>bgcp:bb</b>	<code>background-clip:border-box;</code>
<b>fl:r</b>	<code>float:right;</code>	<b>ovy:a</b>	<code>overflow-y:auto;</code>	<b>bgcp:pb</b>	<code>background-clip:padding-box;</code>
<b>cl</b>	<code>clear:both;</code>	<b>ovs</b>	<code>overflow-style:scrollbar;</code>	<b>bgcp:cb</b>	<code>background-clip:content-box;</code>
<b>cl:n</b>	<code>clear:none;</code>	<b>ovs:a</b>	<code>overflow-style:auto;</code>	<b>bgcp:nc</b>	<code>background-clip:no-clip;</code>
<b>cl:l</b>	<code>clear:left;</code>	<b>ovs:s</b>	<code>overflow-style:scrollbar;</code>	<b>bgo</b>	<code>background-origin;;</code>
<b>cl:r</b>	<code>clear:right;</code>	<b>ovs:p</b>	<code>overflow-style:panner;</code>	<b>bgo:pb</b>	<code>background-origin:padding-box;</code>
<b>cl:b</b>	<code>clear:both;</code>	<b>ovs:m</b>	<code>overflow-style:move;</code>	<b>bgo:bb</b>	<code>background-origin:border-box;</code>
<b>d</b>	<code>display:block;</code>	<b>ovs:mq</b>	<code>overflow-style:marquee;</code>	<b>bgo:cb</b>	<code>background-origin:content-box;</code>
<b>d:n</b>	<code>display:none;</code>	<b>cp</b>	<code>clip;;</code>	<b>bgsz</b>	<code>background-size;;</code>
<b>d:b</b>	<code>display:block;</code>	<b>cp:a</b>	<code>clip:auto;</code>	<b>bgsz:a</b>	<code>background-size:auto;</code>
<b>d:f</b>	<code>display:flex;</code>	<b>cp:r</b>	<code>clip:rect(top right bottom left);</code>	<b>bgsz:ct</b>	<code>background-size:contain;</code>
<b>d:if</b>	<code>display:inline-flex;</code>	<b>rsz</b>	<code>resize;;</code>	<b>bgsz:cv</b>	<code>background-size:cover;</code>
<b>d:i</b>	<code>display:inline;</code>	<b>rsz:n</b>	<code>resize:none;</code>		
<b>d:ib</b>	<code>display:inline-block;</code>	<b>rsz:b</b>	<code>resize:both;</code>		
<b>d:li</b>	<code>display:list-item;</code>	<b>rsz:h</b>	<code>resize:horizontal;</code>		
<b>d:ri</b>	<code>display:run-in;</code>	<b>rsz:v</b>	<code>resize:vertical;</code>		
<b>d:cp</b>	<code>display:compact;</code>	<b>cur</b>	<code>cursor:\${pointer};</code>		
<b>d:tb</b>	<code>display:table;</code>	<b>cur:a</b>	<code>cursor:auto;</code>		
<b>d:itb</b>	<code>display:inline-table;</code>	<b>cur:d</b>	<code>cursor:default;</code>		
<b>d:tbcp</b>	<code>display:table-caption;</code>	<b>cur:c</b>	<code>cursor:crosshair;</code>		
<b>d:tbcl</b>	<code>display:table-column;</code>	<b>cur:ha</b>	<code>cursor:hand;</code>		
<b>d:tbclg</b>	<code>display:table-column-group;</code>	<b>cur:he</b>	<code>cursor:help;</code>		
<b>d:tbhg</b>	<code>display:table-header-group;</code>	<b>cur:m</b>	<code>cursor:move;</code>		
<b>d:tbfg</b>	<code>display:table-footer-group;</code>	<b>cur:p</b>	<code>cursor:pointer;</code>		
<b>d:tbr</b>	<code>display:table-row;</code>	<b>cur:t</b>	<code>cursor:text;</code>		
<b>d:tbrg</b>	<code>display:table-row-group;</code>				
<b>d:tbcl</b>	<code>display:table-cell;</code>				
<b>d:rb</b>	<code>display:ruby;</code>				
<b>d:rbb</b>	<code>display:ruby-base;</code>				
<b>d:rbbg</b>	<code>display:ruby-base-group;</code>				
<b>d:rbt</b>	<code>display:ruby-text;</code>				
<b>d:rbtg</b>	<code>display:ruby-text-group;</code>				
<b>zoo, zm</b>	<code>zoom:1;</code>				

## Background.

<b>bg</b>	<code>background:#000;</code>
<b>bg+</b>	<code>background:#fff url() 0 0 no-repeat;</code>
<b>bg:n</b>	<code>background:none;</code>
<b>bgc</b>	<code>background-color:#fff;</code>
<b>bgc:t</b>	<code>background-color:transparent;</code>

## Color.

<b>c</b>	<code>color:#000;</code>
<b>c:r</b>	<code>color:rgb(0, 0, 0);</code>
<b>c:ra</b>	<code>color:rgba(0, 0, 0, .5);</code>
<b>op</b>	<code>opacity;;</code>

MÁS



## CSS

## Outline.

ol	outline::;
ol:n	outline:none;
olo	outline-offset::;
olw	outline-width::;
olw:tn	outline-width:thin;
olw:m	outline-width:medium;
olw:tc	outline-width:thick;
ols	outline-style::;
ols:n	outline-style:none;
ols:dt	outline-style:dotted;
ols:ds	outline-style:dashed;
ols:s	outline-style:solid;
ols:db	outline-style:double;
ols:g	outline-style:groove;
ols:r	outline-style:ridge;
ols:i	outline-style:inset;
ols:o	outline-style:outset;
olc	outline-color:#000;
olc:i	outline-color:invert;

## Tablas.

tbl	table-layout::;
tbl:a	table-layout:auto;
tbl:f	table-layout:fixed;
cps	caption-side::;
cps:t	caption-side:top;
cps:b	caption-side:bottom;
ec	empty-cells::;
ec:s	empty-cells:show;
ec:h	empty-cells:hide;

## Margin y Padding.

m	margin::;
m:a	margin:auto;
mt	margin-top::;
mt:a	margin-top:auto;
mr	margin-right::;
mr:a	margin-right:auto;
mb	margin-bottom::;
mb:a	margin-bottom:auto;
ml	margin-left::;
ml:a	margin-left:auto;
p	padding::;
pt	padding-top::;
pr	padding-right::;
pb	padding-bottom::;
pl	padding-left::;

## Border.

bd	border::;
bd+	border:1px solid #000;
bd:n	border:none;
bdbk	border-break:close;
bdbk:c	border-break:close;

bdcl	border-collapse::;
bdcl:c	border-collapse:collapse;
bdcl:s	border-collapse:separate;
bdc	border-color:#000;
bdc:t	border-color:transparent;
bdi	border-image:url();
bdi:n	border-image:none;
bdti	border-top-image:url();
bdti:n	border-top-image:none;
bdri	border-right-image:url();
bdri:n	border-right-image:none;
bdbi	border-bottom-image:url();
bdbi:n	border-bottom-image:none;
bdli	border-left-image:url();
bdli:n	border-left-image:none;
bdc i	border-corner-image:url();
bdc i:n	border-corner-image:none;
bdc i:c	border-corner-image:continue;
bdtli	border-top-left-image:url();
bdtli:n	border-top-left-image:none;
bdtli:c	border-top-left-image:continue;
bdtri	border-top-right-image:url();
bdtri:n	border-top-right-image:none;
bdtri:c	border-top-right-image:continue;
bdbri	border-bottom-right-image:url();
bdbri:n	border-bottom-right-image:none;
bdbri:c	border-bottom-right-image:continue;
bdbli	border-bottom-left-image:url();
bdbli:n	border-bottom-left-image:none;
bdbli:c	border-bottom-left-image:continue;
bdf	border-fit:repeat;
bdf:c	border-fit:clip;
bdf:r	border-fit:repeat;
bdf:sc	border-fit:scale;
bdf:st	border-fit:stretch;
bdf:ow	border-fit:overwrite;
bdf:of	border-fit:overflow;
bdf:sp	border-fit:space;
bdlen	border-length::;
bdlen:a	border-length:auto;
bdsp	border-spacing::;
bds	border-style::;
bds:n	border-style:none;
bds:h	border-style:hidden;
bds:dt	border-style:dotted;
bds:ds	border-style:dashed;
bds:s	border-style:solid;
bds:db	border-style:double;
bds:dt ds	border-style:dot-dash;
bds:dt dt ds	border-style:dot-dot-dash;
bds:w	border-style:wavy;
bds:g	border-style:groove;
bds:r	border-style:ridge;
bds:i	border-style:inset;

bds:o	border-style:outset;
bdw	border-width::;
bdt, bt	border-top::;
bdt+	border-top:1px solid #000;
bdt:n	border-top:none;
bdtw	border-top-width::;
bdt s	border-top-style::;
bdt s:n	border-top-style:none;
bdt c	border-top-color:#000;
bdt c:t	border-top-color:transparent;
bdr, br	border-right::;
bdr+	border-right:1px solid #000;
bdr:n	border-right:none;
bdrw	border-right-width::;
bdrst	border-right-style::;
bdrst:n	border-right-style:none;
bdr c	border-right-color:#000;
bdr c:t	border-right-color:transparent;
bdb, bb	border-bottom::;
bdb+	border-bottom:1px solid #000;
bdb:n	border-bottom:none;
bdbw	border-bottom-width::;
bdb s	border-bottom-style::;
bdb s:n	border-bottom-style:none;
bdb c	border-bottom-color:#000;
bdb c:t	border-bottom-color:transparent;
bdl, bl	border-left::;
bdl+	border-left:1px solid #000;
bdl:n	border-left:none;
bdlw	border-left-width::;
bdls	border-left-style::;
bdls:n	border-left-style:none;
bdlc	border-left-color:#000;
bdlc:t	border-left-color:transparent;
bdrs	border-radius::;
bdt rrs	border-top-right-radius::;
bdt lrs	border-top-left-radius::;
bdb rrs	border-bottom-right-radius::;
bdb lrs	border-bottom-left-radius::;

MÁS





## CSS

<b>ol</b>	outline;;	<b>bdcl</b>	border-collapse;;	<b>ta</b>	text-align:left;
<b>bxz</b>	box-sizing:border-box;	<b>ff</b>	font-family;;	<b>ta:l</b>	text-align:left;
<b>bxz:cb</b>	box-sizing:content-box;	<b>ff:s</b>	font-family:serif;	<b>ta:c</b>	text-align:center;
<b>bxz:bb</b>	box-sizing:border-box;	<b>ff:ss</b>	font-family:sans-serif;	<b>ta:r</b>	text-align:right;
<b>bxsh</b>		<b>ff:c</b>	font-family:cursive;	<b>ta:j</b>	text-align:justify;
<b>box-shadow:inset</b>		<b>ff:f</b>	font-family:fantasy;	<b>ta-lst</b>	text-align-last;;
<b>hoff</b>		<b>ff:m</b>	font-family:monospace;	<b>tal:a</b>	text-align-last:auto;
<b>voff</b>		<b>ff:a</b>	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;	<b>tal:l</b>	text-align-last:left;
<b>blur</b>		<b>ff:t</b>	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;	<b>tal:c</b>	text-align-last:center;
<b>color;</b>		<b>ff:v</b>	font-family: Verdana, Geneva, sans-serif;	<b>tal:r</b>	text-align-last:right;
<b>bxsh:r</b>		<b>fef</b>	font-effect;;	<b>td</b>	text-decoration:none;
<b>box-shadow:inset</b>		<b>fef:n</b>	font-effect:none;	<b>td:n</b>	text-decoration:none;
<b>hoff</b>		<b>fef:eg</b>	font-effect:engrave;	<b>td:u</b>	text-decoration:underline;
<b>voff</b>		<b>fef:eb</b>	font-effect:emboss;	<b>td:o</b>	text-decoration:overline;
<b>blur</b>		<b>fef:o</b>	font-effect:outline;	<b>td:l</b>	text-decoration:line-through;
<b>spread</b>		<b>fem</b>	font-emphasize;;	<b>te</b>	text-emphasis;;
<b>rgb(0, 0, 0);</b>		<b>femp</b>	font-emphasize-position;;	<b>te:n</b>	text-emphasis:none;
<b>bxsh:ra</b>		<b>femp:b</b>	font-emphasize-position:before;	<b>te:ac</b>	text-emphasis:accent;
<b>box-shadow:inset</b>		<b>femp:a</b>	font-emphasize-position:after;	<b>te:dt</b>	text-emphasis:dot;
<b>h</b>		<b>fems</b>	font-emphasize-style;;	<b>te:c</b>	text-emphasis:circle;
<b>v</b>		<b>fems:n</b>	font-emphasize-style:none;	<b>te:ds</b>	text-emphasis:disc;
<b>blur</b>		<b>fems:ac</b>	font-emphasize-style:accent;	<b>te:b</b>	text-emphasis:before;
<b>spread</b>		<b>fems:dt</b>	font-emphasize-style:dot;	<b>te:a</b>	text-emphasis:after;
<b>rgba(0, 0, 0, .5);</b>		<b>fems:c</b>	font-emphasize-style:circle;	<b>th</b>	text-height;;
<b>bxsh:n</b>	box-shadow:none;	<b>fems:ds</b>	font-emphasize-style:disc;	<b>th:a</b>	text-height:auto;
<b>w</b>	width;;	<b>fsm</b>	font-smooth;;	<b>th:f</b>	text-height:font-size;
<b>w:a</b>	width:auto;	<b>fsm:a</b>	font-smooth:auto;	<b>th:t</b>	text-height:text-size;
<b>h</b>	height;;	<b>fsm:n</b>	font-smooth:never;	<b>th:m</b>	text-height:max-size;
<b>h:a</b>	height:auto;	<b>fsm:aw</b>	font-smooth:always;	<b>ti</b>	text-indent;;
<b>maw</b>	max-width;;	<b>fst</b>	font-stretch;;	<b>ti:-</b>	text-indent:-9999px;
<b>maw:n</b>	max-width:none;	<b>fst:n</b>	font-stretch:normal;	<b>tj</b>	text-justify;;
<b>mah</b>	max-height;;	<b>fst:uc</b>	font-stretch:ultra-condensed;	<b>tj:a</b>	text-justify:auto;
<b>mah:n</b>	max-height:none;	<b>fst:ec</b>	font-stretch:extra-condensed;	<b>tj:iw</b>	text-justify:inter-word;
<b>miw</b>	min-width;;	<b>fst:c</b>	font-stretch:condensed;	<b>tj:ii</b>	text-justify:inter-ideograph;
<b>mih</b>	min-height;;	<b>fst:sc</b>	font-stretch:semi-condensed;	<b>tj:ic</b>	text-justify:inter-cluster;
<b>Font.</b>		<b>fst:se</b>	font-stretch:semi-expanded;	<b>tj:d</b>	text-justify:distribute;
<b>f</b>	font;;	<b>fst:e</b>	font-stretch:expanded;	<b>tj:k</b>	text-justify:kashida;
<b>f+</b>	font:1em Arial,sans-serif;	<b>fst:ee</b>	font-stretch:extra-expanded;	<b>tj:t</b>	text-justify:tibetan;
<b>fw</b>	font-weight;;	<b>fst:ue</b>	font-stretch:ultra-expanded;	<b>to</b>	text-outline;;
<b>fw:n</b>	font-weight:normal;	<b>Texto.</b>		<b>to+</b>	text-outline:0 0 #000;
<b>fw:b</b>	font-weight:bold;	<b>va</b>	vertical-align:top;	<b>to:n</b>	text-outline:none;
<b>fw:br</b>	font-weight:bolder;	<b>va:sup</b>	vertical-align:super;	<b>tr</b>	text-replace;;
<b>fw:lr</b>	font-weight:lighter;	<b>va:t</b>	vertical-align:top;	<b>tr:n</b>	text-replace:none;
<b>fs</b>	font-style:\${italic};	<b>va:tt</b>	vertical-align:text-top;	<b>tt</b>	text-transform:uppercase;
<b>fs:n</b>	font-style:normal;	<b>va:m</b>	vertical-align:middle;	<b>tt:n</b>	text-transform:none;
<b>fs:i</b>	font-style:italic;	<b>va:bl</b>	vertical-align:baseline;	<b>tt:c</b>	text-transform:capitalize;
<b>fs:o</b>	font-style:oblique;	<b>va:b</b>	vertical-align:bottom;	<b>tt:u</b>	text-transform:uppercase;
<b>fv</b>	font-variant;;	<b>va:tb</b>	vertical-align:text-bottom;	<b>tt:l</b>	text-transform:lowercase;
<b>fv:n</b>	font-variant:normal;	<b>va:sub</b>	vertical-align:sub;		
<b>fv:sc</b>	font-variant:small-caps;				
<b>fz</b>	font-size;;				
<b>fza</b>	font-size-adjust;;				
<b>fza:n</b>	font-size-adjust:none;				

MÁS



## CSS

**tw** text-wrap;;  
**tw:n** text-wrap:normal;  
**tw:no** text-wrap:none;  
**tw:u** text-wrap:unrestricted;  
**tw:s** text-wrap:suppress;  
**tsh**  
 text-shadow:hoff voff blur #000;  
**tsh:r**  
 text-shadow:h v blur rgb(0, 0, 0);  
**tsh:ra**  
 text-shadow:h v blur rgba(0, 0, 0, .5);  
**tsh+** text-shadow:0 0 0 #000;  
**tsh:n** text-shadow:none;  
**lh** line-height;;  
**lts** letter-spacing;;  
**lts-n** letter-spacing:normal;  
**whs** white-space;;  
**whs:n** white-space:normal;  
**whs:p** white-space:pre;  
**whs:nw** white-space:nowrap;  
**whs:pw** white-space:pre-wrap;  
**whs:pl** white-space:pre-line;  
**whsc** white-space-collapse;;  
**whsc:n**  
 white-space-collapse:normal;  
**whsc:k**  
 white-space-collapse:keep-all;  
**whsc:l** white-space-collapse:loose;  
**whsc:bs**  
 white-space-collapse:break-strict;  
**whsc:ba**  
 white-space-collapse:break-all;  
**wob** word-break;;  
**wob:n** word-break:normal;  
**wob:k** word-break:keep-all;  
**wob:ba** word-break:break-all;  
**wos** word-spacing;;  
**wow** word-wrap;;  
**wow:nm**  
 word-wrap:normal;  
**wow:n** word-wrap:none;  
**wow:u** word-wrap:unrestricted;  
**wow:s** word-wrap:suppress;  
**wow:b** word-wrap:break-word;

## Listas.

**lis** list-style;;  
**lis:n** list-style:none;  
**lisp** list-style-position;;  
**lisp:i** list-style-position:inside;  
**lisp:o** list-style-position:outside;  
**list** list-style-type;;  
**list:n** list-style-type:none;  
**list:d** list-style-type:disc;  
**list:c** list-style-type:circle;  
**list:s** list-style-type:square;

**list:dc** list-style-type:decimal;  
**list:dclz** list-style-type:decimal-leading-zero;  
**list:lr** list-style-type:lower-roman;  
**list:ur** list-style-type:upper-roman;  
**lisi** list-style-image;;  
**lisi:n** list-style-image:none;

## Imprimir.

**pgbb** page-break-before;;  
**pgbb:au** page-break-before:auto;  
**pgbb:al** page-break-before:always;  
**pgbb:l** page-break-before:left;  
**pgbb:r** page-break-before:right;  
**pgbi** page-break-inside;;  
**pgbi:au** page-break-inside:auto;  
**pgbi:av** page-break-inside:avoid;  
**pgba** page-break-after;;  
**pgba:au** page-break-after:auto;  
**pgba:al** page-break-after:always;  
**pgba:l** page-break-after:left;  
**pgba:r** page-break-after:right;  
**orp** orphans;;  
**wid** widows;;

## Otros.

**!** !important  
**@f** @font-face {  
     font-family;;  
     src:url();  
 }  
**@f+** @font-face {  
     font-family: 'FontName';  
     src: url('FileName.eot');  
     src: url('FileName.eot?#iefix')  
     format('embedded-opentype'),  
     url('FileName.woff')  
     format('woff'),  
     url('FileName.ttf')  
     format('truetype'),  
     url('FileName.svg#FontName')  
     format('svg');  
     font-style: normal;  
     font-weight: normal;  
 }

## @i, @import

@import url();

## @m, @media

@media screen {

}

**ac** align-content;;  
**ac:c** align-content:center;  
**ac:fe** align-content:flex-end;  
**ac:fs** align-content:flex-start;  
**ac:s** align-content:stretch;

**ac:sa** align-content:space-around;  
**ac:sb** align-content:space-between;  
**ai** align-items;;  
**ai:b** align-items:baseline;  
**ai:c** align-items:center;  
**ai:fe** align-items:flex-end;  
**ai:fs** align-items:flex-start;  
**ai:s** align-items:stretch;  
**anim** animation;;  
**anim-** animation: name  
     duration  
     timing-function  
     delay  
     iteration-count  
     direction  
     fill-mode;  
**animdel** animation-delay:time;  
**animdir** animation-direction:normal;  
**animdir:a** animation-direction:alternate;  
**animdir:ar**  
 animation-direction:alternate-reverse;  
**animdir:n** animation-direction:normal;  
**animdir:r** animation-direction:reverse;  
**animdur** animation-duration:0s;  
**animfm** animation-fill-mode:both;  
**animfm:b** animation-fill-mode:backwards;  
**animfm:bt, animfm:bh**  
 animation-fill-mode:both;  
**animfm:f** animation-fill-mode:forwards;  
**animic** animation-iteration-count:1;  
**animic:i**  
 animation-iteration-count:infinite;  
**animn** animation-name:none;  
**animps** animation-play-state:running;  
**animps:p** animation-play-state:paused;  
**animps:r** animation-play-state:running;  
**animtf**  
 animation-timing-function:linear;  
**animtf:cb**  
 animation-timing-function:  
     cubic-bezier(0.1, 0.7, 1.0, 0.1);  
**animtf:e** animation-timing-function:ease;  
**animtf:ei**  
 animation-timing-function:ease-in;  
**animtf:eio**  
 animation-timing-function:ease-in-out;  
**animtf:eo**  
 animation-timing-function:ease-out;  
**animtf:l**  
 animation-timing-function:linear;

MÁS



## CSS

<b>ap</b>	appearance:\${none};	<b>op+</b>	opacity: ; filter: alpha(opacity=);
<b>as</b>	align-self;	<b>op:ie</b>	filter:progid:DXImageTransform.
<b>as:a</b>	align-self:auto;		Microsoft.Alpha(Opacity=100);
<b>as:b</b>	align-self:baseline;	<b>op:ms</b>	-ms-filter:'progid:DXImageTransform.
<b>as:c</b>	align-self:center;		Microsoft.Alpha(Opacity=100)';
<b>as:fe</b>	align-self:flex-end;	<b>ord</b>	order;;
<b>as:fs</b>	align-self:flex-start;	<b>ori</b>	orientation;;
<b>as:s</b>	align-self:stretch;	<b>ori:l</b>	orientation:landscape;
<b>bfv</b>	backface-visibility;	<b>ori:p</b>	orientation:portrait;
<b>bfv:h</b>	backface-visibility:hidden;	<b>tov</b>	text-overflow:\${ellipsis};
<b>bfv:v</b>	backface-visibility:visible;	<b>tov:c</b>	text-overflow:clip;
<b>bg:ie</b>	filter:progid:DXImageTransform.	<b>tov:e</b>	text-overflow:ellipsis;
	Microsoft.AlphaImageLoader( src='x.png',sizingMethod='crop' );	<b>trf</b>	transform;;
<b>cm</b>	/* \${child} */	<b>trf:r</b>	transform: rotate(angle);
<b>colm</b>	columns;;	<b>trf:rx</b>	transform: rotateX(angle);
<b>colmc</b>	column-count;;	<b>trf:ry</b>	transform: rotateY(angle);
<b>colmf</b>	column-fill;;	<b>trf:rz</b>	transform: rotateZ(angle);
<b>colmg</b>	column-gap;;	<b>trf:sc</b>	transform: scale(x, y);
<b>colmr</b>	column-rule;;	<b>trf:sc3</b>	transform: scale3d(x, y, z);
<b>colmrc</b>	column-rule-color;;	<b>trf:scx</b>	transform: scaleX(x);
<b>colmrs</b>	column-rule-style;;	<b>trf:scy</b>	transform: scaleY(y);
<b>colmrw</b>	column-rule-width;;	<b>trf:scz</b>	transform: scaleZ(z);
<b>colms</b>	column-span;;	<b>trf:skx</b>	transform: skewX(angle);
<b>colmw</b>	column-width;;	<b>trf:sky</b>	transform: skewY(angle);
<b>d:ib+</b>	display: inline-block; *display: inline; *zoom: 1;	<b>trf:t</b>	transform: translate(x, y);
<b>fx</b>	flex;;	<b>trf:t3</b>	transform: translate3d(tx, ty, tz);
<b>fxb</b>	flex-basis;;	<b>trf:tx</b>	transform: translateX(x);
<b>fxd</b>	flex-direction;;	<b>trf:ty</b>	transform: translateY(y);
<b>fxd:c</b>	flex-direction:column;	<b>trf:tz</b>	transform: translateZ(z);
<b>fxd:cr</b>	flex-direction:column-reverse;	<b>trfo</b>	transform-origin;;
<b>fxd:r</b>	flex-direction:row;	<b>trfs</b>	transform-style:preserve-3d;
<b>fxd:rr</b>	flex-direction:row-reverse;	<b>trs</b>	transition:prop time;
<b>fxf</b>	flex-flow;;	<b>trsde</b>	transition-delay:time;
<b>fxg</b>	flex-grow;;	<b>trsdur</b>	transition-duration:time;
<b>fxsh</b>	flex-shrink;;	<b>trsp</b>	transition-property:prop;
<b>fxw</b>	flex-wrap;;	<b>trstf</b>	transition-timing-function:tfunc;
<b>fxw:n</b>	flex-wrap:nowrap;	<b>us</b>	user-select:\${none};
<b>fxw:w</b>	flex-wrap:wrap;	<b>wfsm</b>	
<b>fxw:wr</b>	flex-wrap:wrap-reverse;		-webkit-font-smoothing:\${antialiased};
<b>jc</b>	justify-content;;	<b>wfsm:a</b>	-webkit-font-smoothing:antialiased;
<b>jc:c</b>	justify-content:center;	<b>wfsm:n</b>	-webkit-font-smoothing:none;
<b>jc:fe</b>	justify-content:flex-end;	<b>wfsm:s, wfsm:sa</b>	-webkit-font-smoothing:subpixel-antialiased;
<b>jc:fs</b>	justify-content:flex-start;	<b>wm</b>	writing-mode:lr-tb;
<b>jc:sa</b>	justify-content:space-around;	<b>wm:bt</b>	writing-mode:bt-lr;
<b>jc:sb</b>	justify-content:space-between;	<b>wm:btr</b>	writing-mode:bt-rl;
<b>mar</b>	max-resolution:res;	<b>wm:lrb</b>	writing-mode:lr-bt;
<b>mir</b>	min-resolution:res;	<b>wm:lrt</b>	writing-mode:lr-tb;
		<b>wm:rlb</b>	writing-mode:rl-bt;
		<b>wm:rlt</b>	writing-mode:rl-tb;
		<b>wm:tbl</b>	writing-mode:tb-lr;
		<b>wm:tbr</b>	writing-mode:tb-rl;